

## MTP8550Ex ATEX Portable Radio

---



### ATEX Specifications

- Gas: II 2G Ex ib IIC T4 Gb
- Dust: Class II 2D Ex ib IIIC T90°C Db

Triple Certification: ATEX, IEC Ex, FM

### Specifications

- Frequency Band (MHz): 350-470
- Transmitter RF Power class 3L & class 4
- Receiver class A and B
- Receiver Static Sensitivity: -116dBm (min); -118dBm (typical)
- Receiver Dynamic Sensitivity : -107 dBm (min); -109 dBm (typical)
- Audio Power: >1.2W Integrated audio howling suppression
- Operating Temperature (°C): -30 to +55
- Storage Temperature (°C): -40 to +85
- Humidity: ETS 300-019-1-7 Class 7.3E, MIL STD 810 D, E, F, G
- Dust and Water: IP64, IP65, IP66 & IP67 per IEC-60079-0:2011 & IEC-60529
- Shock, drop and vibration: ETS 300-019 1-7 class 5M3; MIL-STD 810 D/E/F/G
- Air Interface Encryption Algorithms: TEA1, TEA2, TEA3

## MTP8550EX UHF FKP ATEX PT951NPEEX TCC Varenr: 18421



### ATEX Specifications

- Gas: II 2G Ex ib IIC T4 Gb
- Dust: Class II 2D Ex ib IIIC T90°C Db

Triple Certification: ATEX, IEC Ex, FM

### Specifications

- Frequency Band (MHz): 350-470
- Transmitter RF Power class 3L & class 4
- Receiver class A and B
- Receiver Static Sensitivity: -116dBm (min); -118dBm (typical)
- Receiver Dynamic Sensitivity : -107 dBm (min); -109 dBm (typical)
- Audio Power: >1.2W Integrated audio howling suppression
- Operating Temperature (°C): -30 to +55
- Storage Temperature (°C): -40 to +85
- Humidity: ETS 300-019-1-7 Class 7.3E, MIL STD 810 D, E, F, G
- Dust and Water: IP64, IP65, IP66 & IP67 per IEC-60079-0:2011 & IEC-60529
- Shock, drop and vibration: ETS 300-019 1-7 class 5M3; MIL-STD 810 D/E/F/G
- Air Interface Encryption Algorithms: TEA1, TEA2, TEA3

## MTP8500EX UHF LKP ATEX PT951NMEEX TCC VAREN.: 18001



# TC CONNECT


## MTP8000Ex Series Accessories

### Antennas



**Stubby Antenna 380-430MHz,  
80mm**

**Part Number: PMAE4096A TCC varenr.: 18400**  
ANTENNA, STUBBY,STUBBY 80MM (380-430MHZ)  
Unit of Measure: EA CE: Yes RTTE: Yes



**Whip Antenna 350-470MHz,  
120mm**

**Part Number: PMAE4097A TCC varenr.: 18401**  
ANTENNA, WHIP,WHIP 120MM (350-470MHZ)  
Unit of Measure: EA CE: Yes RTTE: Yes

### Batteries



**IMPRES Li-Ion battery 1250mAh,  
IP67**

**Part Number: NNTN8570A TCC varenr.: 18402**  
BATTERY PACK, IMPRES LIION IECEX/ATEX IP67 1250T  
Unit of Measure: EA CE: Yes RTTE: No

### Charging Solutions - IMPRES Single Unit Chargers



**IMPRES Single Unit Charger (US  
Switch mode power supply)**

- Dimensions HxWxD(mm): TBA
- Weight(g): TBA
- Chemistry: NiCd / NiMH / LiIon
- No. of Pockets: 1
- Maintenance system: Y
- Operating Voltage (Vac): 90-264
- Line Cord: US
- Display: No
- Charger Type: IMPRES



**IMPRES Single Unit Charger (UK  
Switch mode power supply)**

- Dimensions HxWxD(mm): TBA
- Weight(g): TBA
- Chemistry: NiCd / NiMH / LiIon
- No. of Pockets: 1
- Maintenance system: Y
- Operating Voltage (Vac): 90-264
- Line Cord: UK
- Display: No
- Charger Type: IMPRES



# TC CONNECT

## MTP8000Ex Series Accessories

### Charging Solutions - IMPRES Single Unit Chargers (Continued)

|  |   |
|--|---|
|  | <p><b>IMPRES Single Unit Charger (EURO Switch mode power supply)</b></p> <ul style="list-style-type: none"> <li>• Dimensions HxWxD(mm): TBA</li> <li>• Weight(g): TBA</li> <li>• Chemistry: NiCd / NiMH / Lilon</li> <li>• No. of Pockets: 1</li> <li>• Maintenance system: Y</li> <li>• Operating Voltage (Vac): 90-264</li> <li>• Line Cord: EURO</li> <li>• Display: No</li> <li>• Charger Type: IMPRES</li> </ul> |
|  | <p><b>Part Number: WPLN4255B TCC varenr.: 17548</b><br/>         IMPRES SUC LEVEL V SMPS EU CORD<br/>         Unit of Measure: EA CE: Yes RTTE: No</p>  |

### Charging Solutions - IMPRES Multi-Unit Charger with 6 displays

|  |   |
|--|---|
|  | <p><b>IMPRES Multi Unit Charger with display (US Plug)</b></p> <ul style="list-style-type: none"> <li>• Dimensions HxWxD(mm): 157.6x445.0x287.9</li> <li>• Weight(g): 3750</li> <li>• Chemistry: NiCd / NiMH / Lilon</li> <li>• No. of Pockets: 6</li> <li>• Maintenance system: Y</li> <li>• Operating voltage AC: 100-240</li> <li>• Line Cord: US</li> <li>• Display: YES</li> <li>• Charger Type: Impres</li> </ul> |
|  | <p><b>Part Number: WPLN4220B TCC varenr.: 18043</b><br/>         ACCESSORY,ACCESSORY,CHARGER,IMPRES MUC W/DISPLAY - EURO PLUG<br/>         Unit of Measure: EA CE: Yes RTTE: No</p>   |

|  |   |
|--|---|
|  | <p><b>IMPRES Multi Unit Charger with display (Euro Plug)</b></p> <ul style="list-style-type: none"> <li>• Dimensions HxWxD(mm): 157.6x445.0x287.9</li> <li>• Weight(g): 3750</li> <li>• Chemistry: NiCd / NiMH / Lilon</li> <li>• No. of Pockets: 6</li> <li>• Maintenance system: Y</li> <li>• Operating voltage AC: 100-240</li> <li>• Line Cord: EURO</li> <li>• Display: YES</li> <li>• Charger Type: Impres</li> </ul> |
|  | <p><b>Part Number: WPLN4220B TCC varenr.: 18043</b><br/>         ACCESSORY,ACCESSORY,CHARGER,IMPRES MUC W/DISPLAY - EURO PLUG<br/>         Unit of Measure: EA CE: Yes RTTE: No</p>   |

|  |   |
|--|---|
|  | <p><b>IMPRES Multi Unit Charger with display (UK Plug)</b></p> <ul style="list-style-type: none"> <li>• Dimensions HxWxD(mm): 157.6x445.0x287.9</li> <li>• Weight(g): 3750</li> <li>• Chemistry: NiCd / NiMH / Lilon</li> <li>• No. of Pockets: 6</li> <li>• Maintenance system: Y</li> <li>• Operating voltage AC: 100-240</li> <li>• Line Cord: UK</li> <li>• Display: YES</li> <li>• Charger Type: Impres</li> </ul> |
|  | <p><b>Part Number: WPLN4220B TCC varenr.: 18043</b><br/>         ACCESSORY,ACCESSORY,CHARGER,IMPRES MUC W/DISPLAY - EURO PLUG<br/>         Unit of Measure: EA CE: Yes RTTE: No</p>   |



## Charging Solutions - IMPRES Multi-Unit Charger with 1 display

|  |   |
|--|---|
|  | <p><b>IMPRES Multi Unit Charger (US Plug)</b></p> <ul style="list-style-type: none"> <li>• Dimensions HxWxD(mm): 157.6x445.0x287.9</li> <li>• Weight(g): 3750</li> <li>• Chemistry: NiCd / NiMH / Lilon</li> <li>• No. of Pockets: 6</li> <li>• Maintenance system: Y</li> <li>• Operating voltage AC: 100-240</li> <li>• Line Cord: US</li> <li>• Display: 1-Up</li> <li>• Charger Type: Impres</li> </ul> |
|  | <p>Part Number: <b>WPLN4213B</b> TCC varenr.: <b>17549</b></p> <p>ACCESSORY<br/>KIT,ACCESSORY,ACCESSORY,CHARGER,IMPRES MUC - EURO PLUG</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>  |

|  |   |
|--|---|
|  | <p><b>IMPRES Multi Unit Charger (Euro Plug)</b></p> <ul style="list-style-type: none"> <li>• Dimensions HxWxD(mm): 157.6x445.0x287.9</li> <li>• Weight(g): 3750</li> <li>• Chemistry: NiCd / NiMH / Lilon</li> <li>• No. of Pockets: 6</li> <li>• Maintenance system: Y</li> <li>• Operating voltage AC: 100-240</li> <li>• Line Cord: EURO</li> <li>• Display: 1-Up</li> <li>• Charger Type: Impres</li> </ul> |
|  | <p>Part Number: <b>WPLN4213B</b> TCC varenr.: <b>17549</b></p> <p>ACCESSORY<br/>KIT,ACCESSORY,ACCESSORY,CHARGER,IMPRES MUC - EURO PLUG</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>  |

|  |   |
|--|---|
|  | <p><b>IMPRES Multi Unit Charger (UK Plug)</b></p> <ul style="list-style-type: none"> <li>• Dimensions HxWxD(mm): 157.6x445.0x287.9</li> <li>• Weight(g): 3750</li> <li>• Chemistry: NiCd / NiMH / Lilon</li> <li>• No. of Pockets: 6</li> <li>• Maintenance system: Y</li> <li>• Operating voltage AC: 100-240</li> <li>• Line Cord: UK</li> <li>• Display: 1-Up</li> <li>• Charger Type: Impres</li> </ul> |
|  | <p>Part Number: <b>WPLN4213B</b> TCC varenr.: <b>17549</b></p> <p>ACCESSORY<br/>KIT,ACCESSORY,ACCESSORY,CHARGER,IMPRES MUC - EURO PLUG</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>  |

## Carry Solutions - Carry Cases

|  |  |
|--|--|
|  | <p><b>2.5" Replacement Swivel Belt Loop</b></p> <ul style="list-style-type: none"> <li>• Material: Hard Leather</li> <li>• Attachment Type: Belt Loop</li> <li>• Belt Swivel: Y</li> <li>• Display/Non-Display: N/A</li> </ul> |
|  | <p>Part Number: <b>PMLN5610A</b> TCC varenr.: <b>17790</b></p> <p>2.5 INCH SWIVEL BELT LOOP</p> <p>Unit of Measure: EA CE: No RTTE: No</p>   |

|  |  |
|--|--|
|  | <p><b>3" Replacement Swivel Belt Loop</b></p> <ul style="list-style-type: none"> <li>• Material: Hard Leather</li> <li>• Attachment Type: Belt Loop</li> <li>• Belt Swivel: Y</li> <li>• Display/Non-Display: N/A</li> </ul> |
|  | <p>Part Number: <b>PMLN5611A</b> TCC varenr.: <b>17790</b></p> <p>3.0 INCH SWIVEL BELT LOOP</p> <p>Unit of Measure: EA CE: No RTTE: No</p>   |

|  |  |
|--|--|
|  | <p><b>Hard leather case with 2.5" belt loop</b></p> <p>Can also be used with shoulder strap NTN5243A.</p> <p>Kit comes complete with case and belt loop.</p>             |
|  | <p>Part Number: <b>PMLN7195A</b> TCC varenr.: <b>18404</b></p> <p>CARRY ACCESSORY-CASE,HARD LEATHER CASE W 2.5" BELT LOOP</p> <p>Unit of Measure: EA CE: No RTTE: No</p> |

|  |  |
|--|--|
|  | <p><b>Hard leather case with 3" belt loop</b></p> <p>Can also be used with shoulder strap NTN5243A.</p> <p>Kit comes complete with case and belt loop.</p>             |
|  | <p>Part Number: <b>PMLN7268A</b> TCC varenr.: <b>18405</b></p> <p>CARRY ACCESSORY-CASE,HARD LEATHER CASE W 3" BELT LOOP</p> <p>Unit of Measure: EA CE: No RTTE: No</p> |



## Carry Solutions - Belt Clips & Others



**Carry Case Shoulder Strap**

- Adjustable Black Nylon Strap for cases with D-rings
- Material: Nylon
- Attachment Type: NA
- Belt Swivel: NA
- Quick Release of Radio: Yes

**Part Number: NTN5243A TCC varenr.: 13709**  
STRAP

|                     |        |          |
|---------------------|--------|----------|
| Unit of Measure: EA | CE: No | RTTE: No |
|---------------------|--------|----------|



**Shoulder Wearing Device**

Shoulder Wearing Device with Peter Jones Klick Fast stud.

Compatible with all Peter Jones Klick Fast solutions.

**Part Number: PMLN5004B TCC varenr.: 17385**  
SHOULDER WEARING DEVICE

|                     |        |          |
|---------------------|--------|----------|
| Unit of Measure: EA | CE: No | RTTE: No |
|---------------------|--------|----------|



**ATEX 2.5" Belt Clip**

- Material: Plastic
- Attachment Type: With Belt
- Belt Swivel: NA
- Display/Non-Display: Both

**Part Number: PMLN6086A TCC varenr.: 18406**  
ATEX BELT CLIP 2.5 INCH

|                     |        |          |
|---------------------|--------|----------|
| Unit of Measure: EA | CE: No | RTTE: No |
|---------------------|--------|----------|

## Programming/Data cables



**Serial Data cable for MTP8000EX Series terminals**

**Part Number: PMKN4159A TCC varenr.: 18379**  
SERIAL DATA CABLE EX

|                     |         |          |
|---------------------|---------|----------|
| Unit of Measure: EA | CE: Yes | RTTE: No |
|---------------------|---------|----------|



**TETRA USB data cable**

**Part Number: PMKN4160A TCC varenr.: 18380**  
USB DATA CABLE EX

|                     |         |          |
|---------------------|---------|----------|
| Unit of Measure: EA | CE: Yes | RTTE: No |
|---------------------|---------|----------|

**Keyfill Cable for E2E Keys for use with MTP8000EX Series**

IMAGE  
COMING SOON

**Part Number: PMKN4161A TCC varenr.:**  
E2EE KVL CABLE EX

|                     |         |          |
|---------------------|---------|----------|
| Unit of Measure: EA | CE: Yes | RTTE: No |
|---------------------|---------|----------|




### Audio Accessories - Remote Speaker Microphones



**Helmet-com® unit, bone-conductive microphone with dual speaker**

Requires connection to CC440 Com Control or ANC RSM. Uses Nexus 4-pole quick release plug connection.

|  |                   |
|--|-------------------|
| <b>Part Number: GMMN4580A TCC varenr.: 18416</b>   |                   |
| AUDIO ACCESSORY-HEADSET,SAVOX ATEX HC-2 HELMET COM |                   |
| Unit of Measure: EA                                | CE: Yes RTTE: Yes |



**PELTOR ATEX Over-the-head Heavyduty Headset with boom mic**

- Receive via: Both ears
- Transmit via: Dynamic noise cancelling microphone
- Headband: Over-the-head
- PTT: Via PTT Cable PMLN6368A for DP4000Ex and via PMLN6728A for TETRA MTP850Ex/MTP810Ex
- Intrinsic Safety Standard: ATEX
- Note: This headset is not approved for use with DP4000Ex Ma Mining Radios

|  |                   |
|--|-------------------|
| <b>Part Number: PMLN6087A TCC varenr.: 18410</b> |                   |
| HEADBAND HEADSET W/ NEXUS JACK,ATEX              |                   |
| Unit of Measure: EA                              | CE: Yes RTTE: Yes |



**PELTOR ATEX Tactical Heavyduty headset with helmet attachment and boom mic**

- Receive via: Both ears
- Transmit via: Noise cancelling microphone
- Helmet attachment
- Level dependent function for ambient listening
- PTT: Via PTT Cable PMLN6368A for DP4000Ex and via PMLN6728A for TETRA MTP850Ex/MTP810Ex
- Electronic voice guided system
- Warning signal when power is low
- Last settings stored when switched off
- 2 x AA batteries included
- Intrinsic Safety Standard: ATEX

|  |                   |
|--|-------------------|
| <b>Part Number: PMLN6089A TCC varenr.: 18411</b> |                   |
| TACT HARDHAT MT HDSET W/ NEXUS,ATEX              |                   |
| Unit of Measure: EA                              | CE: Yes RTTE: Yes |



**PELTOR ATEX Tactical Over-the-head Heavyduty Headset with boom mic**

- Receive via: Both ears
- Transmit via: Noise cancelling microphone
- Level dependent function for ambient listening
- PTT: Via PTT Cable PMLN6368A for DP4000Ex and via PMLN6728A for TETRA MTP850Ex/MTP810Ex
- Electronic voice guided system
- Warning signal when power is low
- Last settings stored when switched off
- 2 x AA batteries included
- Intrinsic Safety Standard: ATEX

|  |                   |
|--|-------------------|
| <b>Part Number: PMLN6090A TCC varenr.: 18412</b> |                   |
| TACTICAL HDBAND HDSET W/ NEXUS,ATEX              |                   |
| Unit of Measure: EA                              | CE: Yes RTTE: Yes |



**PELTOR ATEX Heavyduty headset with helmet attachment and boom mic**

- Receive via: Both ears
- Transmit via: Dynamic noise cancelling microphone
- Helmet attachment
- PTT: Via PTT Cable PMLN6368A for DP4000Ex and via PMLN6728A for TETRA MTP850Ex/MTP810Ex
- Intrinsic Safety Standard: ATEX
- Note: This headset is not approved for use with DP4000Ex Ma Mining radios.

|  |                   |
|--|-------------------|
| <b>Part Number: PMLN6092A TCC varenr.: 18413</b> |                   |
| HARDHAT MT HDSET W/ NEXUS JACK,ATEX              |                   |
| Unit of Measure: EA                              | CE: Yes RTTE: Yes |



**PELTOR ATEX Twin Cup Headset with boom mic**


- Receive via: Both ears
- Transmit via: Dynamic noise cancelling microphone
- Twin-Cup technique for increased attenuation
- Helmet attachment
- PTT: Via PTT Cable PMLN6368A for DP4000Ex and via PMLN6728A for TETRA MTP850Ex/MTP810Ex
- Intrinsic Safety Standard: ATEX
- Note: This headset is not approved for use with DP4000Ex Ma Mining radios.

|  |                   |
|--|-------------------|
| <b>Part Number: PMLN6333A TCC varenr.: 18414</b> |                   |
| TWIN CUP HARDHAT MT HDSET, ATEX                  |                   |
| Unit of Measure: EA                              | CE: Yes RTTE: Yes |





### Audio Accessories - Remote Speaker Microphones (Continued)




**Receive only Earpiece with Translucent Tube and Eartip**

- Operation: Attach to ATEX RSM PMMN4094A or PMMN4093A-Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: ATEX

**Part Number: PMLN7188A TCC varenr.: 18407**  
 AUDIO ACCESSORY-EARPIECE,ATEX 3.5MM JACK  
 EARPIECE W TRANS TUBE

Unit of Measure: EA CE: Yes RTTE: Yes




**ATEX Remote Speaker Microphone**

- Audio Jack: No
- Emergency Button: Yes
- Volume Control: Yes
- Noise Cancelling: No
- Housing: Large
- IP Rating: IP64
- Intrinsic Safety Standard: ATEX (Dust rating 2D)
- Weight (incl. packaging): 0.405kg
- Note: This RSM is not approved for use with DP4000Ex Ma Mining radios.

**Part Number: PMMN4067B TCC varenr.: 18408**  
 ATEX CSA REMOTE SPEAKER MICROPHONE

Unit of Measure: EA CE: Yes RTTE: Yes



**Active Noise Cancelling Remote Speaker Microphone (IMPRES)**

- Active Noise Cancellation technology
- Belt Clip : Rotating with Metal Ring
- Audio Jack: twist and lock 3.5mm socket and Nexus socket
- Emergency Button: Yes
- Volume Control: Yes (Hi/Lo)
- PTT: large Front and Side PTT buttons
- Programmable Button: Yes (dual-function)
- Acoustic: Wind porting
- Intelligent Audio: Yes
- IP Rating: IP67
- Intrinsic Safety Standard: IECEX and ATEX (Dust 2D, Gas 2G, Mining M1)
- Compatible Audio Accessories: PMLN6087A, PMLN6089A, PMLN6090A, PMLN6092A, PMLN6333A, RMN5123A, GMMN4580A and PMLN7188A
- size: 40x160mm

**Part Number: PMMN4093A TCC varenr.: 18409**  
 ACCESSORY KIT,ANC RSM EX 16OHM STD CBL

Unit of Measure: EA CE: Yes RTTE: Yes



**SAVOX HC-1 - HELMET COM HEADSET**

- ATEX approved: Yes
- bone microphone
- single speaker
- connector: Nexus 4-pole quick release plug
- weight: 85g
- size: 40x160mm

Please note this SAVOX kit is ATEX certified only; this does not include IECEX certification.

**Part Number: RMN5123A TCC varenr.: 18418**  
 SAVOX ATEX HC-1 HEADSET


Unit of Measure: EA CE: Yes RTTE: Yes




# TC CONNECT

MTP8000Ex Series Accessories

## Audio Accessories - SAVOX Solution - BONE CONDUCTION

|   |   |
|---|---|
|  | <p><b>Helmet-com® unit, bone-conductive microphone with dual speaker</b></p> <p>Requires connection to CC440 Com Control or ANC RSM. Uses Nexus 4-pole quick release plug connection.</p> |
|   | <p><b>Part Number: GMMN4580A TCC varenr.: 18416</b></p> <p>AUDIO ACCESSORY-HEADSET,SAVOX ATEX HC-2 HELMET COM</p> <p>Unit of Measure: EA                      CE: Yes    RTTE: Yes</p>    |

|  |   |
|--|---|
|  | <p><b>SAVOX CC-440 - COM-CONTROL/PUSH-TO-TALK UNIT</b></p> <p>To be used as a remote large PTT, in conjunction with Savox HC1 or HC2 headset.</p>                                   |
|  | <p><b>Part Number: PMLN7257A TCC varenr.: 18417</b></p> <p>ACCESSORY KIT,SAVOX ATEX IECEX C-C440 LARGE PTT</p> <p>Unit of Measure: EA                      CE: Yes    RTTE: Yes</p> |

|   |   |
|---|---|
|  | <p><b>SAVOX HC-1 - HELMET COM HEADSET</b></p> <ul style="list-style-type: none"> <li>• ATEX approved: Yes</li> <li>• bone microphone</li> <li>• single speaker</li> <li>• connector: Nexus 4-pole quick release plug</li> <li>• weight: 85g</li> <li>• size: 40x160mm</li> </ul> <p>Please note this SAVOX kit is ATEX certified only; this does not include IECEX certification.</p> |
|   | <p><b>Part Number: RMN5123A TCC varenr.: 18418</b></p> <p>SAVOX ATEX HC-1 HEADSET</p> <p>Unit of Measure: EA                      CE: Yes    RTTE: Yes</p>  |





### Audio Accessories - PELTOR Solution - NOISE PROTECTION



**PELTOR ATEX Over-the-head Heavyduty Headset with boom mic**

- Receive via: Both ears
- Transmit via: Dynamic noise cancelling microphone
- Headband: Over-the-head
- PTT: Via PTT Cable PMLN6368A for DP4000Ex and via PMLN6728A for TETRA MTP850Ex/MTP810Ex
- Intrinsic Safety Standard: ATEX
- Note: This headset is not approved for use with DP4000Ex Ma Mining Radios

Part Number: **PMLN6087A TCC varenr.: 18410**  
 HEADBAND HEADSET W/ NEXUS JACK,ATEX  
 Unit of Measure: EA CE: Yes RTTE: Yes



**PELTOR ATEX Tactical Heavyduty headset with helmet attachment and boom mic**

- Receive via: Both ears
- Transmit via: Noise cancelling microphone
- Helmet attachment
- Level dependent function for ambient listening
- PTT: Via PTT Cable PMLN6368A for DP4000Ex and via PMLN6728A for TETRA MTP850Ex/MTP810Ex
- Electronic voice guided system
- Warning signal when power is low
- Last settings stored when switched off
- 2 x AA batteries included
- Intrinsic Safety Standard: ATEX

Part Number: **PMLN6089A TCC varenr.: 18411**  
 TACT HARDHAT MT HDSET W/ NEXUS,ATEX  
 Unit of Measure: EA CE: Yes RTTE: Yes



**PELTOR ATEX Tactical Over-the-head Heavyduty Headset with boom mic**

- Receive via: Both ears
- Transmit via: Noise cancelling microphone
- Level dependent function for ambient listening
- PTT: Via PTT Cable PMLN6368A for DP4000Ex and via PMLN6728A for TETRA MTP850Ex/MTP810Ex
- Electronic voice guided system
- Warning signal when power is low
- Last settings stored when switched off
- 2 x AA batteries included
- Intrinsic Safety Standard: ATEX

Part Number: **PMLN6090A TCC varenr.: 18412**  
 TACTICAL HDBAND HDSET W/ NEXUS,ATEX  
 Unit of Measure: EA CE: Yes RTTE: Yes



**PELTOR ATEX Heavyduty headset with helmet attachment and boom mic**

- Receive via: Both ears
- Transmit via: Dynamic noise cancelling microphone
- Helmet attachment
- PTT: Via PTT Cable PMLN6368A for DP4000Ex and via PMLN6728A for TETRA MTP850Ex/MTP810Ex
- Intrinsic Safety Standard: ATEX
- Note: This headset is not approved for use with DP4000Ex Ma Mining radios.

Part Number: **PMLN6092A TCC varenr.: 18413**  
 HARDHAT MT HDSET W/ NEXUS JACK,ATEX  
 Unit of Measure: EA CE: Yes RTTE: Yes



**PELTOR ATEX Twin Cup Headset with boom mic**

- Receive via: Both ears
- Transmit via: Dynamic noise cancelling microphone
- Twin-Cup technique for increased attenuation
- Helmet attachment
- PTT: Via PTT Cable PMLN6368A for DP4000Ex and via PMLN6728A for TETRA MTP850Ex/MTP810Ex
- Intrinsic Safety Standard: ATEX
- Note: This headset is not approved for use with DP4000Ex Ma Mining radios.

Part Number: **PMLN6333A TCC varenr.: 18414**  
 TWIN CUP HARDHAT MT HDSET, ATEX  
 Unit of Measure: EA CE: Yes RTTE: Yes




**Small PTT adapter with Nexus jack**

Required to be used with certified Peltor headsets. It has a 0-360 degree rotating clothing clip.

Part Number: **PMLN6803A TCC varenr.: 18415**  
 AUDIO ACCESSORY-AUDIO ADAPTER,ATEX SMALL PTT ADAPTER  
 Unit of Measure: EA CE: Yes RTTE: Yes



## Charging Solutions - Vehicular Chargers and Holders



**IMPRES Vehicular Charger**

In car charger for radio or stand alone battery. Hard wired to the car battery. 12V compatible.

**Part Number: NNTN7616D TCC varenr.: 18399**  
 CHR IMP VEH EXT EU  
 Unit of Measure: EA CE: Yes RTTE: No



**Travel Charger with VPA adaptor**

- Dimensions HxWxD (mm): 70x70x70
- Weight (Kg): 0.3 with Bracket
- Chemistry: Li-ION/NiMH
- Number of Pockets : 1
- Maintenance System: No
- Operating Voltage: 12 - 32 volt
- Line Cord: Other
- Display: No
- Charger Type: Rapid

**Part Number: NNTN8525A TCC varenr.: 17650**  
 CHARGER TRAVEL  
 Unit of Measure: EA CE: Yes RTTE: Yes

## Carry Solutions - Peter Jones



**Sew on Dock**

- Allows mounting on uniforms, body armour and other garments
- All This Klick Fast solution requires stud PMLN5004B for use with TETRA radios and stud 5566501A01 for use with GP ATEX Remote Speaker Microphone GMMN1111A

**Part Number: GMDN0386A TCC varenr.: 17606**  
 CARRYCASE ASSEMBLY, CLAMSHELL, PLAS, SEW-ON DOCK  
 Unit of Measure: EA CE: No RTTE: No



**Peter Jones Klick Fast Mounting Dock for RSM garment tag**

**Part Number: GMDN0445AA TCC varenr.: 17784**  
 PETER JONES RSM TAG  
 Unit of Measure: EA CE: No RTTE: No



**Belt Loop with Screw on Dock**

- Allows low belt mounting - dropped one belt width
- Suits belts upto 50mm wide
- All Klick Fast solutions require stud PMLN5004B

**Part Number: GMDN0445AC TCC varenr.: 17788**  
 PETER JONES BELT LOOP 50MM W/DOCK LOW HANG  
 Unit of Measure: EA CE: No RTTE: No



**Belt Loop Dock**

- Allows belt mounting for upto 38mm belt width
- All Klick Fast solutions require stud PMLN5004B

**Part Number: GMDN0497A TCC varenr.: 17786**  
 PETER JONES BELT DOCK 38MM  
 Unit of Measure: EA CE: No RTTE: No



**Dock for Uniform Tag**

- Allows fitment to existing remote speaker mic tags on uniforms to give instant Klick Fast Mounting option
- This Klick Fast solution requires stud PMLN5004B for use with TETRA radios and stud 5566501A01 for use with GP ATEX Remote Speaker Microphone GMMN1111A

**Part Number: GMDN0547A TCC varenr.: 17787**  
 DOUBLE TONGUE TAG DOCK  
 Unit of Measure: EA CE: No RTTE: No



**Leather Belt Loop with Screw on Dock**

- Allows belt mounting via a belt loop (riveted to the dock)
- Suits belts upto 50mm
- All Klick Fast solutions require stud PMLN5004B

**Part Number: GMDN0566AC TCC varenr.: 17788**  
 PETER JONES BELT LOOP 50MM AND DOCK  
 Unit of Measure: EA CE: No RTTE: No



# TC CONNECT


## MTP8000Ex Series Accessories

### Carry Solutions - Peter Jones (Continued)



**Peter Jones Klick Fast Belt Dock 50mm**

**Part Number: GMLN4488A TCC varenr.: 17789**  
 PETER JONES BELT DOCK 50MM  
 Unit of Measure: EA CE: No RTTE: No



**Screw on Dock**

- Easy to use "Screw to Fit" dock
- Can be used to upgrade any existing garment
- Fitted in minutes
- Check with your company that fitting this will not invalidate any warranties
- All Klick Fast solutions require stud PMLN5004B

**Part Number: WALN4307A TCC varenr.: 18306**  
 PETER JONES SCREW FITTING GARMENT DOCK  
 Unit of Measure: EA CE: No RTTE: No


### Dust Cover



**GCAI Connector Dust Cover**

**Part Number: 0104063J98 TCC varenr.:**  
 COVER-COVER,GCAI DUST COVER (2 SHOTS)  
 Unit of Measure: EA CE: No RTTE: No


### Charging Solutions - IMPRES Battery & Fleet Management



**IMPRES FLEET MANAGEMENT Software Licence Key**

- This orders the licence key of Fleet Management Software application.


**Part Number: HKVN4037A TCC varenr.:**  
 EMEA FLEET MANAGEMENT LICENSE KEY  
 Unit of Measure: EA CE: No RTTE: No



**IMPRES Battery Data Reader**

- This IMPRES Battery Reader enables IMPRES battery users to evaluate and maintain their IMPRES battery quality by collecting valuable information on battery performance.
- Note: Laptop and Radio are not included.


**Part Number: NNTN7392A TCC varenr.: 17943**  
 ASSY, KIT, IMPRES BATTERY DATA READER  
 Unit of Measure: EA CE: Yes RTTE: Yes



**Charger Interface Unit for IMPRES MUC**

- Interfaces with IMPRES Multi Unit Chargers via DB-15 connector.
- Detects and reads Battery information from charger pockets.
- Powered through a Universal Serial Bus(USB)interface.
- Note: MUC is not included.

**Part Number: NNTN7677A TCC varenr.: 17944**  
 FLEET MANAGEMENT CHRGR INTERFACE UNIT  
 Unit of Measure: EA CE: Yes RTTE: Yes



**Charger Interface Unit for IMPRES SUC**

- Interfaces with IMPRES Single Unit Chargers via DB-15 Connector
- Detects and reads battery information from charger pockets
- Powered through a Universal Serial Bus (USB) interface
- Note: SUC is not included

**Part Number: NNTN8045A TCC varenr.: 17945**  
 CHARGR INTRFCE UNT GEN1 IMPRES SUC  
 Unit of Measure: EA CE: Yes RTTE: No