

MOTOTRBO R7 SERIES TWO-WAY RADIO ACCESSORIES UNLEASH THE POWER OF YOUR RADIO

CATALOGUE | MOTOTRBO R7 SERIES EMEA ACCESSORIES





TABLE OF CONTENTS

MOTOTRBO R7 PORTABLE RADIO ACCESSORIES

3

Remote Speaker Microphones (RSM)	4
Operations Critical Wireless Bluetooth Accessories	5
Surveillance Accessories and Earpieces	6
Remote Speaker Microphones Accessories with Standard 3.5mm Jack	6
Surveillance Accessory Replacement Kits	7
Remote Speaker Microphones Replacement Kits	7
Headsets	8
3M Peltor Headsets	8
PTT Adapter Configurations	8
Batteries	9
Charging Solutions (Single Unit)	9
Charging Solutions Replacement Kits	10
Vehicle Charging Solutions	10
Charging Solutions (Multi-Unit)	11
IMPRES Battery Management Tools	12
Carry Solutions	13
Programming Cables	13
Antennas	14
Antennas Accessories	14

2

NOTOTRBO R7 PORTABLE RADIO ACCESSORIES



3

REMOTE SPEAKER MICROPHONES

The MOTOTRBO R7 has a re-engineered accessory port that adds more robustness and longevity when connected to remote speaker microphones and other compatible accessories.

COMPATIBILITY	ACCESSORY		FEATU	IRES							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELLING OR DUAL MIC. NOISE SUPPRESSION	SYSTEM VOLUME CONTROL (STEPS)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC Capable**	DIMENSIONS (MM) H X W X D
يلير	RM780 IMPRES Windporting Remote Speaker Microphone, large, work-when-wet, IP68	PMMN4128	•	•	Windporting with noise suppression	•	2 programmable + 1 emergency	•	IP68	UL	Large 77 x 58 x 25 (without clip)
	RM760 IMPRES Windporting Remote Speaker Microphone, large basic, work-when-wet, IP68	PMMN4140	•	•	Windporting with noise suppression			•	IP68	UL	Large 77 x 58 x 25 (without clip)
R7	RM730 IMPRES Windporting Remote Speaker Microphone, small, IP68	PMMN4131	•	•	Windporting with noise suppression		Emergency	•	IP68	UL	Small 70 x 55 x 22 (without clip)

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.



New GCAI Mini Connector Compact wired accessory connector



RM780 RSM







LOUD AND CLEAR AUDIO

When pairing a RM780, RM760, or RM730 Remote Speaker Microphone with the R7 radio, the enhanced single input noise cancelling feature will suppress the background noise for clearer communication.

Innovative audio technology enables you to hear and be heard over crowd noise, machinery and blaring sirens. Motorola Solutions' Wind and Water Shielding technology ensures audio is loud and clear.

Rugged and dependable, the RM Series Remote Speaker Microphones are IP68 rated for use in harsh environments and weather. The RM780 and RM760 also meet the work-when-wet requirements having enhanced water drainage and top quality materials to ensure you get the best audio experience.

INTELLIGENT AUDIO: YOUR CALLS, ALWAYS AT THE PERFECT VOLUME

Set your volume once and depend on your accessory to listen for changes in background noise, adjusting the volume automatically.

REMOTE SPEAKER MICROPHONE WITH LARGE FRONT PTT

The NS750 IMPRES Remote Speaker Microphone (RSM) is built for frontline workers in tough, loud, mission critical environments. It is built with windporting microphones that cancel the mechanical effects that wind has on the microphone. With the additional advantage of an omnidirectional microphone, is its able to capture noise from every direction. Smart audio switching allows audio to be easily switched between the RSM audio and the secondary earpiece or headset.

COMPATIBILITY	ACCE	SSORY		FEAT	JRES								
PORTABLE RADIOS	DESC	RIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO*	WINDPORTING, Noise-cancelling or Dual Mic. Noise suppression	AUDIO Switching Knob	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC Capable**	DIMENSIONS (MM) H X W X D RSM Head Only	CABLE LENGTH
07	6	NS750 IMPRES Omni-Directional Remote Speaker Microphone with Large Front PTT and Side PTT (Long Cable)	PMMN4150	•	•	Windporting	•	1 programmable + 1 emergency	Nexus and 3.5mm locking	IP68	UL	68mm (W) x 94mm (H) x 29mm (D)	490mm (resting position), 1700mm (full length)
R7	T	NS750 IMPRES Omni-Directional Remote Speaker Microphone with Large Front PTT and Side PTT (Short Cable)	PMMN4151	•	•	Windporting	•	1 programmable + 1 emergency	Nexus and 3.5mm locking	IP68	UL	68mm (W) x 94mm (H) x 29mm (D)	250mm (resting position), 480mm (full length)


* Through MOTOTRBO radio software configuration

** HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

SECONDARY AUDIO ACCESSORIES (SAA)

	PMLN8266 3M [™] Neckband Headset w/Nexus
S	PMLN8265 3M [™] Peltor Headband Headset w/Nexus Connector
1	PMLN8267 3M [™] Peltor Hard Hat Headset Attachment w/Nexus Connector
	GMMN4584 SAVOX HC-2 Helmet-com Unit Bone Conduction Mic/Dual Speaker
	GMMN4585 SAVOX HC-1 Helmet-com Unit Bone Conduction Mic/Single Speaker
- CB manage	PMLN7188 3.5mm Audio Jack Earpiece with Clear Comfort Tube

ADD ON ACCESSORIES/REPLACEMENT PARTS







LARGE, TEXTURED, FRONT AND SIDE PUSH-TO TALK BUTTONS

In high stress situations, communication with the NS750 is seamless; this RSM has both a traditional side PTT button and a large front-facing PTT button, so you don't have to fumble with your device to deliver key information. And, if you're in a low-visibility environment, the NS750's high impact green detailing makes the device easy to see.

INTELLIGENT AUDIO: YOUR CALLS, ALWAYS AT THE PERFECT VOLUME

Set your volume once and depend on your accessory to listen for changes in background noise, adjusting the volume automatically.

SMART AUDIO SWITCHING

Eliminate toggling difficulties among multiple accessories with the NS750's smart audio switching functionality, located on an easily accessible button to save you both time and effort.

COLOUR IDENTIFICATION LABELS

Further organise your devices across your workforce with the NS750's colour identification labels, making it easier to separate and understand various teams, functions or roles.





OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES

COMPATIBILITY	ACCESSORY		FEATURES	s										VERTICAL MAR	KETS: Recommen	dations based o	n typical u	ise case fo	or each vertic	al listed.
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL		RANGE (FEET LINE OF SIGHT)	IP HAZLOC RATING CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE		PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
R7	WM500 Wireless Remote Speaker Microphone (compatible with PMLN7560 3.5mm earpiece). Requires firmware R04.00.00 or newer.	PMMN4127	N/A	Omni directional, Windporting	On Microphone	18	2	128	80 x 57.5 x 24.5	Operations Critical	STANDARD	30	IP67 N/A	•	•	•		•	•	•

Verify the firmware on the WM500 RSM and update the firmware to R04.00.00 by downloading the Accessory Manager App, found in the Google Play Store or Apple App store.



Scan QR Code to download the Accessory Manager Application

SURVEILLANCE ACCESSORIES AND EARPIECES

COMPATIBILITY	ACCESSORY		FEATURES							VERTICAL MA	RKETS: Recommen	dations based	on typical	use case fo	or each vertica	al listed.
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC Capable**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	IMPRES ™ 1-Wire Surveillance Kit with Translucent Tube, Loud Audio, Black	PMLN8341	•	•	Clear Rubber Eartip				UL	•	•	•		•	•	•
	IMPRES™ 2-Wire Surveillance Kit with Translucent Tube, Loud Audio, Black	PMLN8342	•	•	Clear Rubber Eartip	Ŵ	► v		UL	•	•	•		•	•	•
R7	IMPRES ™ 3-Wire Surveillance Kit with Translucent Tube, Loud Audio, Black	PMLN8343	•	•	Clear Rubber Eartip	Į.	Ý		UL	•	•	•		•	•	•
	IMPRES™ 2-Wire Swivel Earhook with Removable Eartip, Loud Audio, Black	PMLN8295	•	•	Removable Black Rubber Eartip	Ŵ	► v	W	UL	•	•	•		•	•	•
	IMPRES™ 1-Wire Single Earbud with Removable Earhook, Loud Audio, Black	PMLN8337	•	•	Single Earbud					•	•	•		•	•	•

REMOTE SPEAKER MICROPHONES ACCESSORIES WITH STANDARD 3.5MM JACK

These earpieces give you the flexibility to receive radio communications more discreetly.

COMPATIBILITY	ACCESSORY			FEATURES	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	HAZLOC CAPABLE**
		Receive-Only Earpiece with Translucent Tube, Loud Audio (for PMMN4128, PMMN4131, PMMN4140)	PMLN8120	Clear Rubber Eartip	UL
R7	5	Receive-Only Earpiece with Translucent Tube and Rubber Eartip (for PMMN4127)	PMLN7560	Clear Rubber Eartip	

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

SURVEILLANCE ACCESSORY REPLACEMENT KITS

COMPATIBILITY	 with Clear Rubber Eartip Replacement Rubber Eartip, Small (5 per pack) Replacement Rubber Eartip, Medium (5 per pack) Replacement Rubber Eartip, Large (5 per pack) Replacement Rubber Sleeve, Small (25 per pack) Replacement Rubber Sleeve, Medium (25 per pack) Replacement Rubber Sleeve, Medium (25 per pack) 			FEATURES	
PORTABLE RADIOS	DESCRIPT	ION	PART NUMBER	EARPIECE TYPE	COMPATIBLE EARPIECE
		Disconnect Translucent Tube	PMLN8092	Clear Rubber Eartip	PMLN8120 PMLN8342 PMLN8341 PMLN8343
	6		PMLN8068		
	6		Black Rubber Eartip	PMLN8295	
R7	6	Replacement Rubber Eartip, Large (5 per pack)	PMLN8070		
	0	Replacement Rubber Sleeve, Small (25 per pack)	PMLN8363		
	0	Replacement Rubber Sleeve, Medium (25 per pack)	PMLN8364	Black Rubber Sleeve Clear Rubber Eartip	PMLN8337
	0	Replacement Rubber Sleeve, Large (25 per pack)	PMLN8365		

REMOTE SPEAKER MICROPHONES REPLACEMENT KITS

COMPATIBILITY	ACCESSOR	/	
PORTABLE RADIOS	DESCRIPTIC	DN	PART NUMBER
	\bigcirc	Replacement Coil Cord Kit for PMMN4128, PMMN4131, PMMN4140	PMKN4232
		Low Profile Swivel Clip for PMMN4128, PMMN4131, PMMN4140	PMLN8121
		Replacement Dust Cover (10 per pack) for PMMN4128, PMMN4140	PMLN8122
R7		Replacement Dust Cover (10 per pack) for PMMN4131	PMLN8253
	Þ	Peter Jones Klick Fast Stud for PMMN4128, PMMN4131, PMMN4140 (can be used instead of the RSM low profile swivel clip). Requires Peter Jones Klick Fast Dock to be purchased separately (GMDN0386, GMDN0445, GMDN0547, WALN4307 and PMLN7961).	PMLN8475





HEADSETS

COMPATIBILITY	ACCESSORY		FEATURES									VERTICAL MARK	ETS: Recommenda	ations based on	typical u	se case fo	r each vertic	als listed.
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	NOISE REDUCTION RATING	MICROPHONE	PTT	WEIGHT	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	Heavy Duty Behind-the-Head Headset with Noise-Cancelling Boom Microphone (See user guide for replacement parts)	PMLN8085	Behind-the-Head	Dual-Muff	•	•	24 dB	Boom	On Ear Cup	Heavy Duty	UL	•	•	•	•			
R7	Heavy Duty Over-the-Head Headset with Noise-Cancelling Boom Microphone (See user guide for replacement parts)	PMLN8086	Over-the-Head	Dual-Muff	•	•	24 dB	Boom	On Ear Cup	Heavy Duty	UL	•	•	•	•			

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

3M PELTOR HEADSETS

The 3M Peltor CH-3 Series is designed for industrial users working in high noise environments.

COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MARKE	TS: Recommendatio	ns based on typ	ical use cas	e for each ve	ertical listed.	
PORTABLE RADIOS	DESCRIPTION	l i i i i i i i i i i i i i i i i i i i	PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
PTT ADAPTE	R CONFIGUR	ATIONS															
	S	CH-3 Series Over-the-Head Headset with Nexus Connector (See user guide for replacement parts)	PMLN8265	Over-the-Head	Nexus	Dual-Ear	26 dB	Boom	Requires PTT Adapter PMLN8297		•	•	•	•			
		CH-3 Series Neckband Headset with Nexus Connector (See user guide for replacement parts)	PMLN8266	Neckband	Nexus	Dual-Ear	24 dB	Boom	Requires PTT Adapter PMLN8297		•	•	•	•			
R7		CH-3 Series Hard Hat Attached with Nexus Connector (Hat not included) (See user guide for replacement parts)	PMLN8267	Hard Hat Attached	Nexus	Dual-Ear	24 dB	Boom	Requires PTT Adapter PMLN8297		•	•	•	•			
	Ý	PTT Nexus Adapter (Requires headset - options listed above)	PMLN8297	N/A	N/A	N/A	N/A	N/A	N/A		•	•	•	•			

BATTERIES

Slim, high capacity batteries, powered by new lithium cells. Our batteries are uniquely designed and rigorously tested, not compromising on quality.

COMPATIBILITY	ACCESSORY			FEATURES							
PORTABLE RADIOS	DESCRIPTION	N	PART NUMBER	IMPRES*	CHEMISTRY	TYPICAL CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	HAZLOC CAPABLE**	IP RATING	OPERATING TEMPERATURE (DISCHARGE)
		Motorola Original Li-Ion 2450mAh IP68 Battery	PMNN4808		Li-Ion	2450	116 x 55 x 23	148		IP68	-20°C to +60°C
		IMPRES Li-Ion 2200mAh IP68 Slim Battery	PMNN4807	•	Li-Ion	2200	116 x 55 x 17	118		IP68	-20°C to +60°C
R7		IMPRES Li-Ion 2850mAh IP68 Slim Battery	PMNN4809	•	Li-Ion	2850	116 x 55 x 17	135		IP68	-20°C to +60°C
		IMPRES Li-Ion 3200mAh IP68 TIA4950 Battery	PMNN4810	•	Li-Ion	3200	116 x 55 x 23	168	UL	IP68	-20°C to +60°C

* MOTOTRBO R7 IMPRES batteries include a self-calibration feature when used with IMPRES Single-Unit Charger and IMPRES 2 Multi-Unit Fast Charger (SW ver V2.00 and above) listed under Charging Solutions for MOTOTRBO R7. ** HAZLOC details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL- approved MOTOTRBO portable.

CHARGING SOLUTIONS

Choose from a variety of solutions including single-unit, multi-unit, travel and in-vehicle chargers and be confident your radio is charged and ready to go the moment you need it. Charge a single battery or while it is attached to your R7 radio.

COMPATIBILITY	ACCESSORY			FEATURES				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
		IMPRES Single-Unit Charger, EURO Plug	PMPN4577A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
	(W)	IMPRES Single-Unit Charger, UK Plug	PMPN4572A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
R7	•	IMPRES Single-Unit Charger, US Plug	PMPN4576A	•	Li-Ion, NiMh	120 VAC	51 x 88 x 94	1



WHAT IS IMPRES SELF-CALIBRATION?

IMPRES batteries with self calibration feature can be identified through this logo on the battery label. These batteries do not require long hours of IMPRES calibration or recondition process, when charged with: - IMPRES Single Unit Charger







- IMPRES 2 Multi Unit Charger (SW ver V2.00* and above)


* If the R7 IMPRES battery is initially inserted into the charger with older software, it will begin the initialization process with a solid yellow indication. Do not remove the battery from the charger until the charger indicates solid green. This process may take up to 8 hours.

HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?

They reduce the number of spare batteries you would need to buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you will get more than an extra year out of every IMPRES battery.

ONLY IMPRES BATTERIES CAN BE CHARGED 150 TIMES MORE THAN STANDARD BATTERIES AND LAST 43% LONGER

CAPACITY



CHARGING SOLUTIONS REPLACEMENT KITS

ACCESSORY			FEATURES						
DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS		
	Replacement Power Supply for IMPRES Single-Unit Charger, EURO Plug	PS000037A01			240 VAC				
	Replacement Power Supply for IMPRES Single-Unit Charger, UK Plug	PS000037A02			240 VAC				
R7 Replacement Power Supply for IMPRES Single-Unit Charger, US Plug		25009297001			120 VAC				





VEHICLE CHARGING SOLUTIONS

COMPATIBILITY	BILITY ACCESSORY			FEATURES					
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS	
4		IMPRES Single-Unit Rapid Rate Vehicular Charger, Heavy-Duty Permanent Mount	NNTN7616	•	Li-Ion, NiMh	12 VDC (hardwire)	200 x 83 x 97	1	
R7		Travel Charger, Rapid Rate with Voltage Regulated Adapter, Custom Charger Base, Mounting Bracket and Coil Cord	NNTN8525		Li-lon, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67	1	







CHARGING SOLUTIONS

Charge up to 6 R7 radios or batteries simultaneously with our IMPRES 2 Multi-Unit Fast Charger.

COMPATIBILITY	ACCESSO	RY		FEATURES	5			
PORTABLE RADIOS	DESCRIPT	ION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
		IMPRES 2 Multi-Unit Fast Charger with 1 Display , EURO Plug	PMPN4289	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	б
	Reven	IMPRES 2 Multi-Unit Fast Charger with 1 Display , UK Plug	PMPN4290	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	б
		IMPRES 2 Multi-Unit Fast Charger with 1 Display , US Plug	PMPN4284	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
		Wall Mount Bracket for IMPRES 2 Multi-Unit Charger	BR000272A01					
R7		Interchangeable Charging Pocket	AS000129A01					
		Replacement Power Supply, 100-240 VAC without Power Cord	PS000242A01			100-240 VAC		

ACCESSORY			FEATURES					
DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS	
	Power Cord for IMPRES 2 Multi-Unit Charger, EURO Plug	3087791G04				2300		
	Power Cord for IMPRES 2 Multi-Unit Charger, UK Plug	3087791G07				2300		
	Power Cord for IMPRES 2 Multi-Unit Charger, US Plug	3087791G01				2300		

*MUC Software version should be upgraded to v2.02. Chargers can be updated to the latest software version using the MSI Charger Reprogrammer Software – an installation guide is included in the software download package.





MOTOTRBO PORTABLE RADIO ACCESSORIES

IMPRES BATTERY MANAGEMENT TOOLS

COMPATIBILITY	ACCESSORY		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER
щ		IMPRES Battery Fleet Management License Key, EMEA	HKVN4037
R7		IMPRES Battery Fleet Management Software for EMEA is available to download from Motorola Solutions' website on the <u>IMPRES Battery Management Application</u> page.	n/a

IMPRES BATTERY MANAGEMENT TOOLS

With the unique IMPRES Battery Fleet Management system, you can efficiently manage your batteries with real-time data not available with other manufacturers' batteries. Our easy-to-use software application shows you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate disposing of batteries prematurely.

IMPRES BATTERY FLEET MANAGEMENT SOFTWARE REPORTS

	port. Refresh Preview Prink Cor		rences Gro		Heb Ext							
	Predeñined	Active Batteries	×									
	· Activo batteries	14 4	43 Of 71	> 24	7 4 1 4	1 10						
	TI Drenistry by Age (Days)	Serial Number	Alles	Group	Radio Forsily	Kit Number	chemistry	FM	Rated Capacity	Potential Capacity	Date of First Use	
	It Health (%)	\$000001E5479	Sam.	Building 1	XTS \$300/3500/3000	HNN90315	NGS	No	1525	1591	6/1/2009	_
		5000001E5460	Matt	Security	#PX	NNTN75734	NMH	No.	2100	1680	12/15/2008	-
	el Radio Family	5000001E5485	Michael	Security	ARX	NNTN2035A	NMH	Yes	2005	1600	2/16/2007	
	I Chenistry by Recommendations	5000002E5521	Pha	Administration	HT/GP/PRO Series	HNN9028AR	NCd	No	1550	1240	3/4/2009	-
		\$000002F1122	Pete	Building 1	xrts \$200/3500/3000	MNTN44378	NMM	Yes	1700	1360	6/16/2003	-
	en Chemistry	\$000002F4355	Steve		XTS 2500, XTS/MT/PR 1500	NNTN25544	Li-Jon	No	2050	1640	1/24/2008	
	- a Service Life	\$000003A3901	Active	None	Saber	HNN90335	NiCd	No	2009	1600	\$/\$/2009	-
		5000003A9173	Not	Building 2	XTS 2500, XTS/MT/PR 1500	NNTN25544	U-)ce	No	2050	1640	6/11/2008	
	II Chemistry by Ape (Days)	500000383511	Gene	Building 2	xTS 2500, XTS/MT/PR 1500	NINTN2554A	U-Son	No	2050	1640	9/21/2009	
	() Chemistry by Health (%)	\$00000384120	Bob		Sober	HNN90345	Nicd	Yes	2000	1600	10/3/2008	-
	In submert of the out of	\$00000300101	Carol	Administration	HT/GP/PRO Series	HNN4002A	NMH	Yes	1690	1352	11/12/2009	_
	Tr Radio Family by Age (Days)	5000004L1587	Pat	Building 1	XT\$ \$000/3500/3000	NNTN44358	NMM	Yes	1700	1207	12/51/2008	
	In Radio Parriey by Health (*iv)	5000004N1200	Jon	Building 1	XTS \$000/3500/3000	HNN90318	NCd	740	1525	1082	6/3/2005	-
	in kacio ramey by rydech (19)	500000538933	84	and the second sec	AFX	NNTN7033A	Li-Jon	Yes	4103	2911	7/21/2006	
	· Sost Detteries	500000539022	Frank	Security	AFX	NNTN7573A	NMH.	No	2100	1491	2/11/2008	-
	to the second second second	5000006A1717	Mark	Building 2	XTS 5000/3500/3000	NNTN2453A	U-Son	Yes	3997	2804	11/18/2009	-
	(+ Chemistry by Health (%)	\$00000842358	Bric	and the second data was not as a se	MOTOTREO	PMN34077A	Li-Ion	No	2150	1526	12/8/2008	-
	11 Chervistry by Date of Last Read	5000006A2579	Mary		HT/GP/PRO Series	HNN9028AR	Nicd	No	1550	1100	7/10/2009	
		\$00000666541	Phyl	-	APX	NNTN7573A	NEMIH	No	2100	1491	5/2/2008	-
	Radio Remity by Date of Last Read	5000006D9842	Tom	Security	AFX	NNTN7033A	Li-Jon	Yes	4100	2911	1/19/2009	
	(Radio Family by Health (%)	\$000006P9817	1440	_	HT/GP/PRO Series	HNN90284R	NICO	No	1550	1100	5/5/2009	-
		\$000006K4221	5Ve	Building 2	x75 \$000/3500/3000	PMNN40934	NMH	No	3000	2070	8/8/2007	
	• B Purchase	500000624119	Fred	Administration	MOTOTREO	PMNN4069A	U-Son	Yes	1400	966	6/12/2008	
	Quantity by Kit Number	\$000007A2323	Frank	and a surplusive state of the local division	APX.	NNTN70354	NMH	Yes	2000	1380	7/30/2006	-
	21	\$00000700912	Tim .	Security	MOTOTREO	PMNN4059A	Li-Sen	Yes	1400	966	4/12/2007	
b		\$000007D5533	Amy	Maintienance	49X	NNTN7037A	NMH	No	2103	1449	12/1/2008	
1	and the second se	\$000007F7415	Geo/!		NT/GP/PRO Series	H1004001A	NMH	No	1800	1242	10/12/2907	
k	Reports	\$00000730188	Gery	Security	XTS \$000/3500/3000	NNTN50344	Li-ten	No.	+150	2863	8/5/2008	
		500000735223	6ob	Administration	AFX	NNTN7573A	MMH	No	2100	1449	5/17/2008	-
í.	 Device Monitor 	\$000007M7761	Mark		MOTOTREO	PMNN4066A	Lu-Sen	No	1500	1035	10/11/2007	_

IMPRES battery fleet management active battery report



CARRY SOLUTIONS

Secure your R7 radio with a variety of attachment options including high quality leather cases and belt clips.

COMPATIBILITY	ACCESSO	RY		FEATURES			
PORTABLE RADIOS	DESCRIPT	rion	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY / NON- DISPLAY
	Ŕ	Hard Leather Case with 2.5 inch Swivel Belt Loop (display model)	PMLN8300	Hard Leather	2.5	Swivel	Display
	Ŕ	Hard Leather Case with 3 inch Fixed Belt Loop (display model)	PMLN8299	Hard Leather	3	Swivel	Display
	Ŕ	Hard Leather Case with 3 inch Fixed Belt Loop (display model)	PMLN8301	Hard Leather	3	Fixed	Display
	T	Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN8303	Hard Leather	2.5	Swivel	Non-Display
	V	Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN8302	Hard Leather	3	Swivel	Non-Display
R7	Ţ	Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN8304	Hard Leather	3	Fixed	Non-Display
		Replacement 2.5 inch Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel	Display/Non Display
		Replacement 3 inch Leather Swivel Belt Loop	PMLN5611	Hard Leather	3	Swivel	Display/Non Display
		Spring Action 2 inch Belt Clip	PMLN4651	Plastic	2		Display/Non Display
		Spring Action 2.5 inch Belt Clip	PMLN7008	Plastic	2.5		Display/Non Display

	COMPATIBILITY	ACCESSORY			FEATURES
	PORTABLE RADIOS	DESCRIPTION	N Contraction of the second	PART NUMBER	MATERIAL
			Waterproof Bag with Large Strap for Securely Carrying Motorola Two-Way Radios	HLN9985	
			Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	
F	4		Adjustable Nylon Carrying Strap	NTN5243	Nylon
			Leather Radio Strap	RLN6486	Leather
0	R7		Leather Radio Strap - XL	RLN6487	Leather
		Opt	Anti-Sway Strap for Leather Radio Straps	RLN6488	Leather
		~	Nylon Wrist Strap for Securely Carrying Motorola Two-Way Radios	PMLN6074	Nylon
			Mini GCAI Dust Cover Whenever, accessory is not in use, users are advised to install dust cover	PMHN4429	Plastic

PROGRAMMING CABLES

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
R7	Mini GCAI Interface cable connects the radio to your computer through the USB port. Allows full rate data transfer such as audio recordings from the device to the computer.	PMKN4265



MOTOTRBO PORTABLE RADIO ACCESSORIES

ANTENNAS

COMPATIBILITY	ACCESSORY			FEATURES			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	ТҮРЕ
Ш	ļ	UHF SHORT Stubby Antenna (400-450 MHz)	AN000350A01	UHF	400-450	6	Short Stubby
		UHF SHORT Stubby Antenna (400-527 MHz)	AN000351A01	UHF	440-490	б	Short Stubby
R7	ļ	UHF Stubby Wideband (400-527 MHz)	AN000348A01	UHF	400-527	9	Stubby

ANTENNAS ACCESSORIES

COMPATIBILITY	ACCESSORY	ACCESSORY						
PORTABLE RADIOS	DESCRIPTION		PART NUMBER					
		Gray Antenna ID Bands (pack of 10pcs)	32012144001					
		Yellow Antenna ID Bands (pack of 10pcs)	32012144002					
		Green Antenna ID Bands (pack of 10pcs)	32012144003					
R7		Blue Antenna ID Bands (pack of 10pcs)	32012144004					
		Purple Antenna ID Bands (pack of 10pcs)	32012144005					

COMPATIBILITY	ACCESSORY			FEATURES			
PORTABLE RADIOS	DESCRIPTION	l i i i i i i i i i i i i i i i i i i i	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	ТҮР
		UHF/GPS Combination Wideband Slim Whip Antenna (400-527 MHz)	PMAE4079	UHF	403-527	15	Whi
		VHF/GPS Combination Helical Antenna (136-155 MHz)	PMAD4117	VHF	136-155	15	Helio
		VHF/GPS Combination Helical Antenna (144-165 MHz)	PMAD4116	VHF	144-165	15	Helio
R7	EI S II UHF	VHF/GPS Combination Helical Antenna (152-174 MHz)	PMAD4118	VHF	152-174	15	Heli
		VHF/GPS Combination Wideband Slim Whip Antenna (400-527 MHz)	PMAD4147	VHF	136-174	20	Wh
		UHF/GPS Combination Stubby Antenna (400-450 MHz)	PMAE4069	UHF	403-450	11	Stub
		UHF/GPS Combination Stubby Antenna (440-490 MHz)	PMAE4070	UHF	440-490	11	Stub
		UHF/GPS Combination Stubby Antenna (470-527 MHz)	PMAE4071	UHF	470-527	11	Stub
		VHF/GPS Combination Stubby Antenna (136-148 MHz)	PMAD4119	VHF	136-148	9	Stub
		VHF/GPS Combination Stubby Antenna (146-160 MHz)	PMAD4120	VHF	146-160	9	Stub
		UHF/GPS Combination Stubby Antenna for the 403-433 MHz Range	PMAE4021	UHF	403-433	9	Stub





For more information on Motorola Solutions accessories, visit **motorolasolutions.com/mototrbo**



Motorola Solutions Ltd. Nova South, 160 Victoria Street, London, SW1E 5LB, United Kingdom. Availability is subject to individual country law and regulations. All specifications shown are typical unless otherwise stated and are subject to change without notice.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2023 Motorola Solutions, Inc. All rights reserved. 08-2023

