

Data sheet

# V200 Body Camera

Let your body camera  
be your bodyguard



The V200 can change the trajectory of an incident before it escalates.



There is a growing global trend towards better prioritising the safety and security of frontline staff worldwide. Concerns ranging from theft to workplace violence are rising to be more complex and require a robust solution to prevent, detect and respond. While equipping employees with body cameras is an obvious option, an even more effective solution is a body camera that helps change the trajectory of an incident before it escalates.

The V200 body camera is designed with recording and escalation button(s) to activate GoLive Audio, a safety feature that ensures employees have immediate access to a supervisor or security team at a moment's notice while recording every detail from start to finish.

### **Intuitively simple and sophisticated.**

Remarkably straightforward and compact, the V200 features dedicated buttons and a top display for quickly viewing status of battery life, WiFi and supervisor or security agent connectivity.

### **Stay supported. Stay connected.**

Improve real-time response by viewing livestream video via WiFi from your employee's camera for a first hand perspective. Activate GoLive audio when in need of assistance.

### **Shift with ease. From start to finish.**

Streamline body camera allocation, charging and video offloading with an efficient and simple process.

### **Step into work with comfort and style.**

Choose from a range of mounting accessories for a secure and comfortable fit throughout the day. And personalise the camera with a customisable label to meet your company's brand guidelines.



## VIDEO

Resolution	1280 x 720p
Frame Rate	25 frames per second
Lens Angle	122° horizontal
Storage	64GB
Format	H.264
Recording Status Notification	Vibration Visual (LEDs and display) Audible
Recording Reminder Notification	Audible

## AUDIO

Microphones	1
Format	AAC, G.711 Khz uLaw

## CONNECTIVITY

Wi-Fi Specification	802.11 b/g/n (2.4GHz)
Wi-Fi Security	WPA2-PSK
Bluetooth®	BT 5.2 + EDR, BLE

## BATTERY

Recording Runtime	9 hours of continuous recording
Battery life in standby <sup>1</sup>	5 months (without pre-record)
Recharge Time	<5 hours
Charging Port	USB-C

<sup>1</sup> Battery life impacted by camera configuration. Average battery life at 10/90 duty cycle. Actual battery runtime observed may vary.

## SECURITY

Video Download	Encrypted keys specific to backend software instance TLS connectivity to backend software
Live Connectivity	TLS connectivity to backend software
USB Connectivity	The V200 cannot be accessed as a USB storage device
Audit Trail	Usage, operations and recording details are all audit-logged and indexed
Footage	AES256 encrypted at rest and in transit

## HARDWARE

Weight	121.6 grams
Drop Test	MIL-STD-810H
Dimensions	82mm x 53.7mm x 28.2mm
Environmental Rating	IP54
Operating Temperature	Operating: -20°C to +40°C Charging: 0°C to +25°C
Connectors	Bottom USB-C port for docking and charging
Status Display	Top panel LCD backlit display, visible in bright sunlight
Status Indicators	Front facing LEDs Audible and vibration alerts
Configurable Buttons	2 x top panel push buttons 3 x side panel push buttons 1 x front panel large push button
Mounting Options	Low profile swivel clip and lanyard

To learn more, visit: [motorolasolutions.com/V200](https://motorolasolutions.com/V200)

Motorola Solutions Ltd. Nova South, 160 Victoria Street, London, SW1E 5LB, United Kingdom.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2025 Motorola Solutions, Inc. All rights reserved. (01-25)

